Advanced Firepower for the Armed MD Explorer Helicopter

NDIA Gun and Ammunition Symposium April 11, 2001

Lisa Williams

Armed Explorer Project Engineer / Structural Analyst

MD Helicopters, Inc.

James St. Germain
Principal Systems Engineer
General Dynamics Armament Systems









MD Explorer Features


At a Glance



NOTAR®System - How It Works

The NOTAR® system consists of an enclosed articulated fan driven by the main transmission, a circulation control tail boom, direct-jet thruster, and vertical stabilizers. Low pressure air, forced through two slots on the tail boom, causes the main rotor downwash to "hug" the contour of the boom (coanda effect), creating lateral lift that counteracts main rotor torque.









Safety Features Make the MD Explorer Well Suited To Its Primary Markets

- Air Medical
- Corporate / Oil Platform
- Law Enforcement





The Armed MD Explorer





Armed Explorer Test Team

MD Helicopters, Inc.

Test Aircraft, Systems Integration

General Dynamics Armament Systems

GAU-19/A 0.50 Caliber Gatling Gun and 70 mm Rockets

Contract Fabrication and Design, Inc.

Ordnance Mounting System, Gun Sight, Test Range Facilities


Global Helicopter Technologies

Test Planning, Instrumentation and Data Reduction

Grigg Technologies

Armament Management System





Multi-Mission Flexibility

- With dual provisions, the MD Explorer is quickly converted from a utility aircraft to a lethal weapons platform
 - Remove hoist and cabin seats
 - Trade sliding cabin door for folding door
 - Install plank system





SYSTEM CONFIGURATION

- GAU-19/A Weapon System on Port Side
 - Fixed forward fire
 - 28 VDC Power
 - 1300 SPM
 - **500 Rounds**
 - NVG Compatible
 - Jettisonable
 - AdjustableBoresight



SYSTEM CONFIGURATION

HYDRA-70 Rocket Launcher on Starboard

Side


7 TubeLauncher

Jettisonable



SYSTEM CONFIGURATION

- Plank System with 14" Bomb Racks
- Two 500 Round Ammunition Containers
- Dual Weapon
 Station Digital
 ECU
 - Manual safing





GAU-19/A SELECTION CRITERIA

- Extreme Corrosion Resistance
- High Durability
- High System Lethality
- Low Aircraft Loads

CORROSION RESISTANCE

IR&D Project ADA0961450









DURABILITY

- 30,000 Mean Rounds Between Failure (MRBF)
 System Reliability
- MD902 Gun System Capable of 900 Round Continuous Firing Bursts


ENHANCED LETHALITY



LETHALITY/PENETRATION



AIRCRAFT LOADS




Test Program


Static Firing Test- *May 2000*Rocket Pod Jettison Test
Handling Qualities Flight Test
Frequency Response Tests
EMC/EMI Tests
Firing Flight Test - *November 2000*

Primary Concerns Investigated by Test

- Vibration Investigation
- Flight Systems Compatibility
- · Historical Rotorcraft Concern
 - gas / smoke ingestion into engine
- Unique to Carbon Structure
 - temperature limits and unknown response to blast pressure waves



Airframe Construction in the Blast Region



Static Test

Blast Pressure
Structural Response
Surface Temperature
System Integration
Checks



Flight Test

- Confirm No Adverse Dynamic Response to Firing Rates
- Confirm Compatibility with Flight Systems
- Monitor Structural Loads
- Operational Checks
- Pilot Approval



Advanced Firepower for the Armed MD Explorer Helicopter

Video Clip

Armed MD Explorer Flight Test November, 2000

Single and Dual GAU-19/A guns





Test Results

- Composite fuselage responded well to blast pressures and firing rates
- Temperatures stayed well below structural limitations
- Flight systems unaffected by firing
- High marks from pilots

Advanced Firepower for the Armed MD Explorer Helicopter



Conclusions

- MD Explorer Converts Quickly from Utility to Armed Configuration
- GAU-19/A Combines High System Lethality with High Reliability
- Excellent Performance in Test

The Armed MD Explorer offers affordable multi-mission capability with lethal firepower in its tactical role.

